PARP Mouse Monoclonal Antibody

Catalog No: #38067




Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Support: tech@signalwayantibody.com
PARP Mouse Monoclonal Antibody
Mouse
Monoclonal
Affinity purification using immunogen.
WB
Hu
Antibody detects endogenous PARP protein.
PARP
COBA2; COL11A2; Collagen alpha-2(XI) chain; collagen, type XI, alpha 2; DFNA13
Swiss-Prot#:P13942
P13942
1302;
116kd
1.0mg/ml
Mouse IgG1 in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02% sodium
azide and 50% glycerol.
Store at -20°C


Application Details

Western blotting: 1:1000~1:3000

Images



Western blot analysis of 1) Hela, 2) 293T, 3) Jurkat, using #38067 diluted at 1:2,000.



Western blotting analysis using PARP Mouse Monoclonal Antibody #38067.

Background

Poly [ADP-ribose] polymerase 1 (PARP-1) also known as NAD+ ADP-ribosyltransferase 1 or poly[ADP-ribose] synthase 1 is an enzyme that in humans is encoded by the PARP1 gene. PARP1 has a role in repair of single-stranded DNA (ssDNA) breaks. Knocking down intracellular PARP1 levels with siRNA or inhibiting PARP1 activity with small molecules reduces repair of ssDNA breaks. In the absence of PARP1, when these breaks are encountered during DNA replication, the replication fork stalls, and double-strand DNA (dsDNA) breaks accumulate.

Note: This product is for in vitro research use only