

CREB3 antibody

Catalog No: #39013

Package Size: #39013-1 50ul #39013-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


Description

Product Name	CREB3 antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were purified by affinity purification using immunogen.
Applications	WB,IF
Species Reactivity	Human,Mouse,Rat
Specificity	The antibody detects endogenous level of total CREB3 protein.
Immunogen Type	Recombinant Protein
Immunogen Description	Recombinant protein of human CREB3.
Target Name	CREB3
Other Names	LZIP; LUMAN;
Accession No.	Swiss-Prot#: O43889NCBI Gene ID: 10488
Uniprot	O43889
GeneID	10488;
SDS-PAGE MW	43kd
Concentration	1.0mg/ml
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg ²⁺ and Ca ²⁺), pH 7.4, 150mM NaCl, 0.02% sodium azide and 50% glycerol.
Storage	Store at -20°C


Application Details

WB □ 1:500 - 1:2000IF □ 1:10 - 1:100


Images




Western blot analysis of extracts of various cell lines, using CREB3 at 1:1000 dilution.



Immunofluorescence analysis of L929 cells using CREB3 at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of C6 cells using CREB3 at dilution of 1:100. Blue: DAPI for nuclear staining.



Immunofluorescence analysis of U-2 OS cells using CREB3 at dilution of 1:100. Blue: DAPI for nuclear staining.

Background

This gene encodes a transcription factor that is a member of the leucine zipper family of DNA binding proteins. This protein binds to the cAMP-response element and regulates cell proliferation. The protein interacts with host cell factor C1, which also associates with the herpes simplex virus (HSV) protein VP16 that induces transcription of HSV immediate-early genes. This protein and VP16 both bind to the same site on host cell factor C1. It is thought that the interaction between this protein and host cell factor C1 plays a role in the establishment of latency during HSV infection. This protein also plays a role in leukocyte migration, tumor suppression, and endoplasmic reticulum stress-associated protein degradation. Additional transcript variants have been identified, but their biological validity has not been determined.

Note: This product is for in vitro research use only