Interleukin-6

Catalog No: #AP78362



Package Size: #AP78362-1 50ug #AP78362-2 100ug #AP78362-3 1mg

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

| Product Name | Interleukin-6 |
|-----------------------|--|
| Brief Description | Recombinant Protein |
| Host Species | E.coli |
| Purification | Greater than 90% by SDS-PAGE |
| Species Reactivity | Bovine |
| Immunogen Description | 30-208AA |
| Other Names | null |
| Accession No. | P26892Gene name:IL6 |
| Uniprot | P26892 |
| GeneID | 280826; |
| Calculated MW | 19.69 |
| Tag Info | His |
| Formulation | 50mM NaH2PO4, 500mM NaCl Buffer with 500mM Imidazole,10%glycerol(PH8.0) |
| Storage | Store at -20C. (Avoid repeated freezing and thawing.)Repeated freezing and thawing is not recommended. |
| | Store working aliquots at 4°C for up to one week. |

Background

Cytokine with a wide variety of biological functions. It is a potent inducer of the acute phase response. Plays an essential role in the final differentiation of B-cells into Ig-secreting cells Involved in lymphocyte and monocyte differentiation. Acts on B-cells, T-cells, hepatocytes, hematopoietic progenitor cells and cells of the CNS. Required for the generation of T(H)17 cells. Also acts as a myokine. It is discharged into the bloodstream after muscle contraction and acts to increase the breakdown of fats and to improve insulin resistance. It induces myeloma and plasmacytoma growth and induces nerve cells differentiation.

References

Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.

Note: This product is for in vitro research use only