T-cell surface glycoprotein CD3 delta chain

Catalog No: #AP79119



Package Size: #AP79119-1 50ug #AP79119-2 100ug #AP79119-3 1mg

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| D | es | cri | pt | ioi | 1 |
|---|----|-----|----|-----|---|
| | | | | | |

| Product Name | T-cell surface glycoprotein CD3 delta chain | | | |
|-----------------------|--|--|--|--|
| Brief Description | Recombinant Protein | | | |
| Host Species | E.coli | | | |
| Purification | Greater than 90% by SDS-PAGE | | | |
| Species Reactivity | Human | | | |
| Immunogen Description | CNGTDIYKDKESTVQV | | | |
| Other Names | T3D,T-cell receptor T3 delta chain,CD3d | | | |
| Accession No. | P04234Gene name:CD3D | | | |
| Uniprot | P04234 | | | |
| GeneID | 915; | | | |
| Tag Info | His | | | |
| Formulation | 50mM NaH2PO4, 500mM NaCl Buffer with 500mM Imidazole,10%glycerol(PH8.0) | | | |
| Storage | Store at -20C. (Avoid repeated freezing and thawing.)Repeated freezing and thawing is not recommended. | | | |
| | Store working aliquots at 4°C for up to one week. | | | |

Background

The CD3 complex mediates signal transduction.

References

Repeated freezing and thawing is not recommended. Store working aliquots at 4°C for up to one week.

Note: This product is for in vitro research use only