MRKN2 Antibody

Catalog No: #48180

Package Size: #48180-1 50ul #48180-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com


$\overline{}$			
	escri	ntı	Λn
$\boldsymbol{ u}$	COUL	рu	OH

MRKN2 Antibody	
Rabbit	
Polyclonal	
Immunogen affinity purified	
WB, ICC, IHC	
Hu,Ms	
peptide	
M3K2_HUMAN antibody Map3k2 antibody MAPK/ERK kinase kinase 2 antibody MEK kinase 2 antibody	
MEKK 2 antibody MEKK2b antibody Mitogen activated protein kinase kinase kinase 2 antibody	
Mitogen-activated protein kinase kinase 2 antibody	
Swiss-Prot#:Q9H000	
Q9H000	
23609;	
~55kDa	
1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.	
Store at -20°C	


Application Details

WB: 1:200-1:500 IHC: 1:200

Images



Western blot analysis on cell lysates using anti-MARKN2 rabbit polyclonal antibodies.



Immunohistochemical analysis of paraffin-embedded human colorectal carcinomas tissue using anti- MRKN2 rabbit polyclonal antibody.

Background

MKRN2 gene encodes a probable E3 ubiquitin ligase containing several zinc finger domains, that is a member of the makorin RING zinc-finger protein family. This gene overlaps the v-raf-1 murine leukemia viral oncogene homolog 1 (RAF1) gene in an antisense orientation and may have a co-regulatory function with RAF1. Alternative splicing results in multiple transcript variants. E3 ubiquitin ligase catalyze the covalent attachment of ubiquitin moieties onto substrate proteins.

References

Note: This product is for in vitro research use only