

Hsp27 Rabbit mAb

Catalog No: #49283



Package Size: #49283-1 50ul #49283-2 100ul

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com


Description

Product Name	Hsp27 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal antibody
Clone No.	JJ09-13
Purification	ProA affinity purified
Applications	WB, ICC/IF, IHC, IP, FC
Species Reactivity	Hu, Ms, Rt
Immunogen Description	recombinant protein
Other Names	Heat shock 27kDa protein antibody 28 kDa heat shock protein antibody CMT2F antibody DKFZp586P1322 antibody epididymis secretory protein Li 102 antibody Estrogen regulated 24 kDa protein antibody Estrogen-regulated 24 kDa protein antibody Heat shock 25kDa protein 1 antibody Heat shock 27 kDa protein antibody Heat shock 27kD protein 1 antibody Heat shock 27kDa protein 1 antibody Heat shock 28kDa protein 1 antibody Heat Shock Protein 27 antibody Heat shock protein beta 1 antibody Heat shock protein beta-1 antibody heat shock protein family B (small) member 1 antibody HEL-S-102 antibody HMN2B antibody HS.76067 antibody Hsp 25 antibody HSP 27 antibody Hsp 28 antibody Hsp B1 antibody Hsp25 antibody HSP27 antibody Hsp28 antibody HspB1 antibody HSPB1_HUMAN antibody SRP27 antibody Stress responsive protein 27 antibody Stress-responsive protein 27 antibody
Accession No.	Swiss-Prot#:P04792
Uniprot	P04792
GeneID	3315;
Calculated MW	27 kDa
Formulation	1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.
Storage	Store at -20°C


Application Details

WB: 1:1,000-1:2,000 IHC: 1:50-1:200 ICC: 1:100-1:500FC: 1:50-1:100


Images




Western blot analysis of Hsp27 on A549 cells lysates using anti-LRP1 antibody at 1/1,000 dilution.




Immunohistochemical analysis of paraffin-embedded human tonsil tissue using anti-Hsp27 antibody. Counter stained with hematoxylin.




Immunohistochemical analysis of paraffin-embedded human colon cancer tissue using anti-Hsp27 antibody. Counter stained with hematoxylin.




Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using anti-Hsp27 antibody. Counter stained with hematoxylin.



ICC staining Hsp27 in HeLa cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



ICC staining Hsp27 in HepG2 cells (green). The nuclear counter stain is DAPI (blue). Cells were fixed in paraformaldehyde, permeabilised with 0.25% Triton X100/PBS.



Flow cytometric analysis of Hela cells with Hsp27 antibody at 1/50 dilution (red) compared with an unlabelled control (cells without incubation with primary antibody; black). Alexa Fluor 488-conjugated goat anti rabbit IgG was used as the secondary antibody.

Background

The heat shock proteins (HSPs) comprise a group of highly conserved, abundantly expressed proteins with diverse functions, including the assembly and sequestering of multiprotein complexes, transportation of nascent poly-peptide chains across cellular membranes and regulation of protein folding. Heat shock proteins (also known as molecular chaperones) fall into six general families: HSP 90, HSP 70, HSP 60, the low molecular weight HSPs, the immunophilins and the HSP 110 family. The low molecular weight family includes HSP 10, HSP 20, HSP 27, HSP 32 and HSP 40. HSP 27 is a constitutively expressed cytoplasmic protein that co-localizes to the nucleus upon stress induced by insult. Heat, cytokines and hormones are among the factors that stimulate the synthesis of HSP 27. In vitro, HSP 27 becomes highly phosphorylated following exposure to stress. The discovery that HSP 27 is regulated by hormones such as estrogen has led to studies establishing a relationship between HSP 27 and breast cancer.

References

Note: This product is for in vitro research use only