## HMGCR Rabbit mAb

Catalog No: #49355

Package Size: #49355-1 50ul #49355-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Description           |  |
|-----------------------|--|
| Product Name          | HMGCR Rabbit mAb   |
| Host Species          | Recombinant Rabbit   |
| Clonality             | Monoclonal antibody  |
| Clone No.             | JF0981   |
| Purification          | ProA affinity purified   |
| Applications          | WB, IP   |
| Species Reactivity    | Hu, Ms, Rt   |
| Immunogen Description | recombinant protein  |
| Other Names           | 3 hydroxy 3 methylglutaryl CoA reductase antibody 3 hydroxy 3 methylglutaryl Coenzyme A reductase  |
|                       | antibody 3 hydroxymethylglutaryl CoA reductase antibody 3-hydroxy-3-methylglutaryl CoA reductase   |
|                       | (NADPH) antibody 3-hydroxy-3-methylglutaryl-coenzyme A reductase antibody 3H3M antibody            |
|                       | HMDH_HUMAN antibody HMG CoA reductase antibody HMG CoAR antibody HMG-CoA reductase antibody        |
|                       | Hmgcr antibody Hydroxymethylglutaryl CoA reductase antibody LDLCQ3 antibody MGC103269 antibody Red |

1\*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.

## **Application Details**

WB: 1:1,000-1:2,000

Accession No.

Calculated MW


Formulation

Uniprot

GeneID

Storage

## **Images**



antibody

P04035

3156;

97 kDa

Store at -20°C

Swiss-Prot#:P04035

Western blot analysis of HMGCR on Hela cells lysates using anti-HMGCR antibody at 1/1,000 dilution.

# Background

The human enzyme hydroxy-3-methylglutaryl coenzyme A reductase (HMGCR) limits the rate of cholesterol synthesis, a necessary process for cellular growth, in liver tissue. Phosphorylation of HMGCR inactivates the enzyme, which occurs via a negative feedback mechanism mediated by sterols and non-sterol metabolites derived from the product of the reductase reaction. Inhibitors of HMGCR (statins) exert anti-inflammatory effects and decrease the frequency of cardiovascular events by lowering plasma cholesterol. Additionally, intermediate products along the pathway catalyzed by HMGCR, which modulate signal transducing proteins such as Ras, provide possible ties between HMGCR regulation and new chemotherapeutic methods.

# References

Note: This product is for in vitro research use only