WDR5 Rabbit mAb

Catalog No: #49650

SAB Signalway Antibody

Package Size: #49650-1 50ul #49650-2 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description	
Product Name	WDR5 Rabbit mAb
Host Species	Recombinant Rabbit
Clonality	Monoclonal antibody
Clone No.	JM73-53
Purification	ProA affinity purified
Applications	WB, IHC, FC
Species Reactivity	Hu, Ms, Rt
Immunogen Description	Recombinant protein
Other Names	2410008O07Rik antibody AA408785 antibody AA960360 antibody BIG 3 antibody Big antibody BIG3
	antibody BMP2 induced 3 kb gene protein antibody BMP2 induced gene, 3-KB antibody BMP2-induced 3-kb
	gene protein antibody MGC114572 antibody OTTHUMP00000162494 antibody SWD 3 antibody SWD3
	antibody SWD3 Set1c WD40 repeat protein homolog antibody WD repeat containing protein 5 antibody WD
	repeat domain 5 antibody WD repeat protein 5 antibody WD repeat-containing protein 5 antibody WD
	repeat-containing protein BIG-3 antibody WDR 5 antibody Wdr5 antibody WDR5_HUMAN antibody
Accession No.	Swiss-Prot#:P61964
Uniprot	P61964
GeneID	11091;
Calculated MW	36 kDa
Formulation	1*TBS (pH7.4), 1%BSA, 40%Glycerol. Preservative: 0.05% Sodium Azide.
Storage	Store at -20°C

Application Details

WB: 1:500-1:1000IHC: 1:50-1:200 FC: 1:50-1:100

Background

Contributes to histone modification. May position the N-terminus of histone H3 for efficient trimethylation at 'Lys-4'. As part of the MLL1/MLL complex it is involved in methylation and dimethylation at 'Lys-4' of histone H3. H3 'Lys-4' methylation represents a specific tag for epigenetic transcriptional activation. As part of the NSL complex it may be involved in acetylation of nucleosomal histone H4 on several lysine residues. May regulate osteoblasts differentiation.

References

Note: This product is for in vitro research use only