Human Small ubiquitin-related modifier 2 (SUMO2) ELISA Kit

SAB Signalway Antibody

Catalog No: #EK6722

Package Size: #EK6722-1 48T #EK6722-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

D	es	CI	ıр	U	O	1

Product Name	Human Small ubiquitin-related modifier 2 (SUMO2) ELISA Kit		
Brief Description	ELISA Kit		
Applications	ELISA		
Species Reactivity	Human (Homo sapiens)		
Other Names	HSMT3; MGC117191; SMT3B; SMT3H2; SMT3 suppressor of mif two 3 homolog 2 sentrin 2 small		
	ubiquitin-like modifier 2; isoform a		
Accession No.	P61956		
Uniprot	P61956		
GeneID	6613;		
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%		
	within the expiration date under appropriate storage condition.		
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,		
	and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China		
	Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage		
	at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).		

Application Details

Detect Range:0.312-20 ng/mL	
Sensitivity:0.126 ng/mL	
Sample Type:Serum, Plasma, Other biological fluids	
Sample Volume: 1-200 μL	
Assay Time:1-4.5h	
Detection wavelength:450 nm	

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate SUMO2 in samples. An antibody specific for SUMO2 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anySUMO2 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for SUMO2 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of SUMO2 bound in the initial step. The color development is stopped and the intensity of the color is measured. Product Overview: Small ubiquitin-related modifier 2 is a protein that is a member of the SUMO (small ubiquitin-like modifier) protein family. It functions in a manner similar to ubiquitin in that it is bound to target proteins as part of a post-translational modification system.

However, unlike ubiquitin which targets proteins for degradation, this protein is involved in a variety of cellular processes, such as nuclear transport, transcriptional regulation, apoptosis, and protein stability. It is not active until the last two amino acids of the carboxy-terminus have been cleaved off. Numerous pseudogenes have been reported for this gene. Alternate transcriptional splice variants, encoding different isoforms, have been characterized.

Note: This product is for in vitro research use only