

Mouse Reelin (RELN) ELISA Kit

Catalog No: #EK7541



Package Size: #EK7541-1 48T #EK7541-2 96T

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	Mouse Reelin (RELN) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Mouse (Mus musculus)
Other Names	PRO1598; RL; OTTHUMP00000211830
Accession No.	Q60841
Uniprot	Q60841
GeneID	19699;
Storage	<p>The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.</p> <p>The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days, and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).</p>

Application Details

Detect Range:15.6-1000 pg/mL

Sensitivity:6.1 pg/mL

Sample Type:Serum, Plasma, Other biological fluids

Sample Volume: 1-200 µL

Assay Time:1-4.5h

Detection wavelength:450 nm

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate RELN in samples. An antibody specific for RELN has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyRELN present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for RELN is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of RELN bound in the initial step. The color development is stopped and the intensity of the color is measured.**Product Overview:**Reelin is a protein that helps regulate processes of neuronal migration and positioning in the developing brain. Besides this important role in early development, reelin continues to work in the adult brain. It modulates the synaptic plasticity by enhancing the induction and maintenance of long-term potentiation.

It also stimulates dendrite and dendritic spine development and regulates the continuing migration of neuroblasts generated in adult neurogenesis sites like subventricular and subgranular zones. It is found not only in the brain, but also in the spinal cord, blood, and other body organs and tissues. Reelin has been suggested to be implicated in pathogenesis of several brain diseases.

Note: This product is for in vitro research use only