## Human Carbohydrate antigen 125 (CA125) ELISA Kit

Catalog No: #EK9087



Package Size: #EK9087-1 48T #EK9087-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description	
Product Name	Human Carbohydrate antigen 125 (CA125) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Human (Homo sapiens)
Other Names	CA125; FLJ14303; CA125 ovarian cancer antigen mucin 16
Accession No.	Q8WXI7
Uniprot	Q8WXI7
GeneID	94025;

within the expiration date under appropriate storage condition.

The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,

The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%

and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).

## **Application Details**

Storage

Detect Range:Request Information
Sensitivity:Request Information
Sample Type:Serum, Plasma, Other biological fluids
Sample Volume: 1-200 µL
Assay Time:1-4.5h
Detection wavelength:450 nm

## **Product Description**

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate MUC16 in samples. An antibody specific for MUC16 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyMUC16 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for MUC16 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of MUC16 bound in the initial step. The color development is stopped and the intensity of the color is measured.

Note: This product is for in vitro research use only