## Mouse 28S ribosomal protein S35, mitochondrial (MRPS35) ELISA Kit

232536;

SAB Signalway Antibody

Catalog No: #EK9323

Description

GeneID

Storage

Package Size: #EK9323-1 48T #EK9323-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Product Name	Mouse 28S ribosomal protein S35, mitochondrial (MRPS35) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Mouse (Mus musculus)
Other Names	DKFZp762P093; HDCMD11P; MDS023; MGC104278; MRP-S28; MRPS28; mitochondrial ribosomal protein S28
Accession No.	Q8BJZ4
Uniprot	Q8BJZ4

The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%

within the expiration date under appropriate storage condition.

The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days, and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).

## **Application Details**

Detect Range:Request Information
Sensitivity:Request Information
Sample Type:Serum, Plasma, Other biological fluids
Sample Volume: 1-200 μL
Assay Time:1-4.5h
Detection wavelength:450 nm

## **Product Description**

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate MRPS35 in samples. An antibody specific for MRPS35 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyMRPS35 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for MRPS35 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of MRPS35 bound in the initial step. The color development is stopped and the intensity of the color is measured.

Note: This product is for in vitro research use only