## Mouse T-lymphocyte surface antigen Ly-9 (LY9) ELISA Kit

Catalog No: #EK10000

Package Size: #EK10000-1 48T #EK10000-2 96T



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Mouse T-lymphocyte surface antigen Ly-9 (LY9) ELISA Kit
ELISA Kit
ELISA
Mouse (Mus musculus)
RP11-312J18.1; CD229; SLAMF3; hly9; mLY9; T-lymphocyte surface antigen Ly-9 cell-surface molecule Ly-9
Q01965
Q01965
17085;
The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.
The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days, and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).

## Application Details Detect Range:0.312-20 ng/mL Sensitivity:0.128 ng/mL Sample Type:Serum, Plasma, Other biological fluids Sample Volume: 1-200 µL Assay Time:1-4.5h Detection wavelength:450 nm

## Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate LY9 in samples. An antibody specific for LY9 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyLY9 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for LY9 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of LY9 bound in the initial step. The color development is stopped and the intensity of the color is measured.Product Overview:Lymphocyte antigen 9, also known as LY9, has also recently been designated CD229 . LY9 has been shown to interact with SH2D1A.By sequence analysis of cDNA clones, Sandrin et al. (1992) demonstrated that the mouse lymphocyte surface antigen Ly9 is a novel member of a subgroup of the immunoglobulin superfamily, together with the antigens CD2, BCM1 (CD48), and LFA3 (CD58). Kingsmore et al. (1995) noted that, though the function of Ly9 was unknown, other subgroup members are involved in adhesion reactions between T lymphocytes and accessory cells. CD2, CD48, and CD58 are also distinguished by homophilic interactions with one another; thus, human CD48 and CD58 are both ligands for CD2.

Note: This product is for in vitro research use only