Mouse Neuregulin-1 (NRG1) ELISA Kit

Catalog No: #EK10016



Package Size: #EK10016-1 48T #EK10016-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description	
Product Name	Mouse Neuregulin-1 (NRG1) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Mouse (Mus musculus)
Other Names	ARIA; GGF; GGF2; HGL; HRG; HRG1; HRGA; NDF; SMDF; glial growth factor heregulin; alpha (45kD;
	ERBB2 p185-activator) neu differentiation factor sensory and motor neuron derived factor
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%
	within the expiration date under appropriate storage condition.
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,
	and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China
	Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage
	at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).

Application Details

Detect Range:15.6-1000 pg/mL	
Sensitivity:6.2 pg/mL	
Sample Type:Serum, Plasma, Other biological fluids	
Sample Volume: 1-200 μL	
Assay Time:1-4.5h	
Detection wavelength:450 nm	

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate NRG1 in samples. An antibody specific for NRG1 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyNRG1 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for NRG1 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of NRG1 bound in the initial step. The color development is stopped and the intensity of the color is measured. Product Overview: Neuregulin 1 or NRG1 is one of the four proteins of the neuregulin family which act on EGFR family of receptors. Neuregulin 1 is produced in numerous isoforms by alternative splicing, and this allows it to perform a wide variety of functions. Neuregulin 1-ErbB4 interactions are thought to play a role in the pathological mechanism of schizophrenia. The protein also has a putative ability to protect the brain from damage induced by stroke.

Neuregulin 1 (NRG1) was originally identified as a 44-kD glycoprotein that interacts with the NEU/ERBB2 receptor tyrosine kinase to increase its phosphorylation on tyrosine residues. It is known that an extraordinary variety of different isoforms are produced from the NRG1 gene by alternative splicing.

Note: This product is for in vitro research use only