Horse Estrogen (E) ELISA Kit

Catalog No: #EK10516

Package Size: #EK10516-1 48T #EK10516-2 96T



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

_				
	esc	٦m	OT1	Λn
-	$-\infty$	лΠ	ווע	OI.

Product Name	Horse Estrogen (E) ELISA Kit	
Brief Description	ELISA Kit	
Applications	ELISA	
Species Reactivity	Horse (Equus caballus; Equine)	
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%	
	within the expiration date under appropriate storage condition.	
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,	
	and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China	
	Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage	
	at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).	

Application Details

Detect Range:18.75-13.125-200 pg/mL
Sensitivity:10.2 pg/mL
Sample Type:Serum, Plasma, Other biological fluids
Sample Volume: 1-200 μL
Assay Time:1-4.5h
Detection wavelength:450 nm

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate E in samples. An antibody specific for E has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyE present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for E is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of E bound in the initial step. The color development is stopped and the intensity of the color is measured. Product Overview: Estrogen? (American English) or?oestrogen? (British English) is the primary? female? sex hormone. It is responsible for the development and regulation of the female? reproductive system? and? secondary sex characteristics.? Estrogen? may also refer to any substance, natural or synthetic, that mimics the effects of the natural? hormone.? The? steroid? 17β-estradiol? is the most potent and prevalent? endogenousestrogen, although several? metabolites? of estradiol also have? estrogenic? hormonal activity. Synthetic estrogens are used as part of some? oral contraceptives, in? estrogen replacement therapy? for postmenopausal? women, and in? hormone replacement therapy? for? trans women.

Note: This product is for in vitro research use only