Human Disks large-associated protein 1 (DLGAP1) ELISA Kit

SAB Signalway Antibody

Catalog No: #EK10617

Package Size: #EK10617-1 48T #EK10617-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

D	es	cri	pt	10	n

Product Name	Human Disks large-associated protein 1 (DLGAP1) ELISA Kit	
Brief Description	ELISA Kit	
Applications	ELISA	
Species Reactivity	Human (Homo sapiens)	
Other Names	DAP-1; DAP-1-ALPHA; DAP-1-BETA; GKAP; MGC88156; SAPAP1; hGKAP; PSD-95/SAP90 binding protein	
	1 SAP90/PSD-95-associated protein 1 discs large homolog-associated protein 1 disks large-associated protei	
Accession No.	O14490	
Uniprot	O14490	
GeneID	9229;	
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%	
	within the expiration date under appropriate storage condition.	
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,	
	and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China	
	Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage	
	at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).	

Application Details

Detect Range:Request Information	
Sensitivity:Request Information	
Sample Type:Serum, Plasma, Other biological fluids	
Sample Volume: 1-200 μL	
Assay Time:1-4.5h	
Detection wavelength:450 nm	

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate DLGAP1 in samples. An antibody specific for DLGAP1 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyDLGAP1 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for DLGAP1 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of DLGAP1 bound in the initial step. The color development is stopped and the intensity of the color is measured.Product Overview:DLGAP1encodes the protein called guanylate kinase-associated protein (GKAP). GKAP binds to the SHANK and PSD-95 proteins fascilitating the assembly of the post synaptic density of neurons.

Sequence analysis predicted that the 627-amino acid hydrophilic protein, which is 98% identical to the rat sequence, contains five 14-amino acid repeats in its N terminus. Binding analysis determined that the N-terminal region of DLGAP1 interacts with intact GK domains of all members of the DLG family, which share approximately 75% homology in the GK domain; DLGAP1 was found to interact less well with more distantly related MAGUKs. Immunoblot analysis showed expression of 95- and 130-kD DLGAP1 proteins in membranes from different regions of rat brain.

Note: This product is for in vitro research use only