## Human GTP-binding protein Di-Ras2 (DIRAS2) ELISA Kit

SAB Signalway Antibody

Catalog No: #EK10682

Package Size: #EK10682-1 48T #EK10682-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

Product Name	Human GTP-binding protein Di-Ras2 (DIRAS2) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Human (Homo sapiens)
Other Names	DKFZp761C07121; Di-Ras2; Di-Ras2
Accession No.	Q96HU8
Uniprot	Q96HU8
GeneID	54769;
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%
	within the expiration date under appropriate storage condition.
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,
	and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China

## **Application Details**

Detect Range:Request Information
Sensitivity:Request Information
Sample Type:Serum, Plasma, Other biological fluids
Sample Volume: 1-200 μL
Assay Time:1-4.5h
Detection wavelength:450 nm

## **Product Description**

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate DIRAS2 in samples. An antibody specific for DIRAS2 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyDIRAS2 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for DIRAS2 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of DIRAS2 bound in the initial step. The color development is stopped and the intensity of the color is measured.

Note: This product is for in vitro research use only