## Chicken Protein CYR61 (CYR61) ELISA Kit

Catalog No: #EK10934

Description



Package Size: #EK10934-1 48T #EK10934-2 96T

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Becompact	
Product Name	Chicken Protein CYR61 (CYR61) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Chicken (Gallus)
Other Names	CCN1; GIG1; IGFBP10; cysteine-rich heparin-binding protein 61 cysteine-rich; anigogenic inducer; 61
Accession No.	P19336
Uniprot	P19336
GeneID	429089;
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%
	within the expiration date under appropriate storage condition.
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days

and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).

## **Application Details**

Detect Range:Request Information		
Sensitivity:Request Information		
Sample Type:Serum, Plasma, Other biological fluids		
Sample Volume: 1-200 μL		
Assay Time:1-4.5h		
Detection wavelength:450 nm		

## **Product Description**

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate CYR61 in samples. An antibody specific for CYR61 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyCYR61 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for CYR61 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of CYR61 bound in the initial step. The color development is stopped and the intensity of the color is measured.

Note: This product is for in vitro research use only