Rabbit Cytochrome b5 (CYB5A) ELISA Kit

Catalog No: #EK11043

Package Size: #EK11043-1 48T #EK11043-2 96T



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

D	es	SC	rıp	oti	0	n

Product Name	Rabbit Cytochrome b5 (CYB5A) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Rabbit (Oryctolagus cuniculus)
Other Names	CYB5; MCB5; cytochrome b-5 cytochrome b5 (microsomal) microsomal cytochrome b5 type 1 cyt-b5
Accession No.	P00169
Uniprot	P00169
GeneID	100328912;100328915;
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%
	within the expiration date under appropriate storage condition.
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,
	and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China
	Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage
	at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).

Application Details

Detect Range:Request Information			
Sensitivity:Request Information			
Sample Type:Serum, Plasma, Other biological fluids			
Sample Volume: 1-200 μL			
Assay Time:1-4.5h			
Detection wavelength:450 nm			

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate CYB5A in samples. An antibody specific for CYB5A has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyCYB5A present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for CYB5A is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of CYB5A bound in the initial step. The color development is stopped and the intensity of the color is measured.

Note: This product is for in vitro research use only