

Human Cerebellin-1 (CBLN1) ELISA Kit

Catalog No: #EK11658



Package Size: #EK11658-1 48T #EK11658-2 96T

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com

Description

Product Name	Human Cerebellin-1 (CBLN1) ELISA Kit
Brief Description	ELISA Kit
Applications	ELISA
Species Reactivity	Human (Homo sapiens)
Other Names	Cerebellin 1
Accession No.	P23435
Uniprot	P23435
GeneID	869;
Storage	<p>The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5% within the expiration date under appropriate storage condition.</p> <p>The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days, and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).</p>

Application Details

Detect Range:0.156-10 ng/mL

Sensitivity:0.054 ng/mL

Sample Type:Serum, Plasma, Other biological fluids

Sample Volume: 1-200 µL

Assay Time:1-4.5h

Detection wavelength:450 nm

Product Description

Detection Method:SandwichTest principle:This assay employs a two-site sandwich ELISA to quantitate CBLN1 in samples. An antibody specific for CBLN1 has been pre-coated onto a microplate. Standards and samples are pipetted into the wells and anyCBLN1 present is bound by the immobilized antibody. After removing any unbound substances, a biotin-conjugated antibody specific for CBLN1 is added to the wells. After washing, Streptavidin conjugated Horseradish Peroxidase (HRP) is added to the wells. Following a wash to remove any unbound avidin-enzyme reagent, a substrate solution is added to the wells and color develops in proportion to the amount of CBLN1 bound in the initial step. The color development is stopped and the intensity of the color is measured.**Product Overview:**Precerebellin, or CBLN1, is the precursor of a conserved brain-specific hexadecapeptide termed cerebellin. CBLN1 and other members of the precerebellin family also contain a C-terminal C1q signature domain that mediates trimeric assembly of atypical collagen complexes. The deduced 193-amino acid protein contains a hydrophobic N terminus followed by the cerebellin sequence. It also contains 3 potential N-glycosylation sites. Over about 145 amino acids in its C terminus, CBLN1 shares 31.3% identity with C1QB , but it lacks N-terminal collagen-like motifs. The cerebellin peptide is flanked by val-arg and glu-pro residues, suggesting that it is not liberated from precerebellin by the classical dibasic amino acid proteolytic mechanism seen in many neuropeptide precursors.

Note: This product is for in vitro research use only