## Pig Antibody against Foot and Mouth Disease IgG (FMDV-Ab-IgG) ELISA Kit

Catalog No: #EK11810

Package Size: #EK11810-1 48T #EK11810-2 96T



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description				
Product Name	Pig Antibody against Foot and Mouth Disease IgG (FMDV-Ab-IgG) ELISA Kit			
Brief Description	ELISA Kit			
Applications	ELISA			
Species Reactivity	Pig (Sus scrofa; Porcine)			
Storage	The stability of ELISA kit is determined by the loss rate of activity. The loss rate of this kit is less than 5%			
	within the expiration date under appropriate storage condition.			
	The loss rate was determined by accelerated thermal degradation test. Keep the kit at 37C for 4 and 7 days,			
	and compare O.D.values of the kit kept at 37C with that of at recommended temperature. (referring from China			
	Biological Products Standard, which was calculated by the Arrhenius equation. For ELISA kit, 4 days storage			
	at 37C can be considered as 6 months at 2 - 8C, which means 7 days at 37C equaling 12 months at 2 - 8C).			

Application Details				
Detect Range:Request Information				
Sensitivity:Request Information				
Sample Type:Serum, Plasma, Other biological fluids				
Sample Volume: 1-200 µL				
Assay Time:1-4.5h				
Detection wavelength:450 nm				

## **Product Description**

Detection Method:Competitive ELISATest principle:This assay employs the competitive enzyme immunoassay technique. The microtiter plate provided in this kit has been pre-coated with an antibody specific to FMDV-Ab-IgG. Standards or samples are then added to the appropriate microtiter plate wells with a Horseradish Peroxidase (HRP)-conjugated FMDV-Ab-IgG and incubated. The competitive inhibition reaction is launched between with HRP labeled FMDV-Ab-IgG and unlabeled FMDV-Ab-IgG with the antibody. A substrate solution is added to the wells and the color develops in opposite to the amount of FMDV-Ab-IgG in the sample. The color development is stopped and the intensity of the color is measured.

Note: This product is for in vitro research use only