PRAK antibody

Catalog No: #22757



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

_		4.5	
ם בו	\circ cri	ntin	n
Des	ווטכ	ν u \circ	ш

Product Name	PRAK antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Purified by antigen-affinity chromatography.
Applications	WB IF
Species Reactivity	Hu
Immunogen Type	Recombinant protein
Immunogen Description	Recombinant protein fragment contain a sequence corresponding to a region within amino acids 197 and 467
	of PRAK
Target Name	PRAK
Accession No.	Swiss-Prot:Q8IW41Gene ID:8550
Uniprot	Q8IW41
GeneID	8550;
Concentration	0.6mg/ml
Formulation	Supplied in 0.1M Tris-buffered saline with 10% Glycerol (pH7.0). 0.01% Thimerosal was added as a
	preservative.
Storage	Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.


Application Details

Predicted MW: 54kd

Western blotting: 1:500-1:3000

Immunofluorescence: 1:100-1:200

Images




Sample(30 ug of whole cell lysate)

A: 293T

B: H1299

7.5% SDS PAGE

Primary antibody diluted at 1: 500



Immunofluorescence analysis of paraformaldehyde-fixed HeLa, using PRAK antibody at 1: 200 dilution.

Background

The protein encoded by this gene is a member of the serine/threonine kinase family. In response to cellular stress and proinflammatory cytokines, this kinase is activated through its phosphorylation by MAP kinases including MAPK1/ERK, MAPK14/p38-alpha, and MAPK11/p38-beta. In vitro, this kinase phosphorylates heat shock protein HSP27 at its physiologically relevant sites. Two alternately spliced transcript variants of this gene encoding distinct isoforms have been reported. [provided by RefSeq]

Note: This product is for in vitro research use only