# NADH dehydrogenase [ubiquinone] iron-sulfur protein 5 Polyclonal Antibody



Catalog No: #42372

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

		4.5	
	Pecri	ntin	n
$\boldsymbol{\nu}$	escri	puo	ш

Product Name	NADH dehydrogenase [ubiquinone] iron-sulfur protein 5 Polyclonal Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Purification	Caprylic Acid Ammonium Sulfate Precipitation purified	
Applications	WB	
Species Reactivity	Hu	
Specificity	The antibody detects endogenous level of total NADH dehydrogenase [ubiquinone] iron-sulfur protein 5	
	polyclonal antibody.	
Immunogen Type	protein	
Immunogen Description	Recombinant human NADH dehydrogenase [ubiquinone] iron-sulfur protein 5 protein	
Target Name	NADH dehydrogenase [ubiquinone] iron-sulfur protein 5	
Other Names	NDUFS5	
Accession No.	Swiss-Prot#: O43920	
Uniprot	O43920	
GeneID	4725;	
GeneID Calculated MW	4725; 11.7kd	
	•	
Calculated MW	11.7kd	

### **Application Details**

Western blotting: 1:500 - 1:1000

### **Images**



All lanes : NADH dehydrogenase [ubiquinone] iron-sulfur protein 5antibody at at 2ug/mlLane 1 : EC109 whole cell

lysateLane 2: 293T whole cell lysate

SecondaryGoat polyclonal to Rabbit IgG at 1/15000 dilution

Predicted band size: 11.7 kDa Observed band size: 40 kDa Additional bands at: 80kDa.

# Background

Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed not to be involved in catalysis.

Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.

# References

[1]"Identification of genes expressed in human CD34(+) hematopoietic stem/progenitor cells by expressed sequence tags and efficient full-length cDNA cloning."Mao M., Fu G., Wu J.-S., Zhang Q.-H., Zhou J., Kan L.-X., Huang Q.-H., He K.-L., Gu B.-W., Han Z

Note: This product is for in vitro research use only