## **MIOX Antibody**

Catalog No: #43378



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

$\overline{}$		4.0	
	escri	nt	n.
$\boldsymbol{L}$	COUL	υu	ULL

Host SpeciesRabbitClonalityPolyclonalPurificationAntigen affinity purification.ApplicationsIHCSpecies ReactivityHuSpecificityThe antibody detects endogenous levels of total MIOX protein.Immunogen DescriptionFull length fusion protein of human MIOXTarget NameMIOXOther NamesALDRL6Accession No.Swiss-Prot#: Q9UGB7Gene ID: 55586UniprotQ9UGB7GeneID55586;Concentration1.2mg/mlFormulationRabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Product Name	MIOX Antibody
PurificationAntigen affinity purification.ApplicationsIHCSpecies ReactivityHuSpecificityThe antibody detects endogenous levels of total MIOX protein.Immunogen DescriptionFull length fusion protein of human MIOXTarget NameMIOXOther NamesALDRL6Accession No.Swiss-Prot#: Q9UGB7Gene ID: 55586UniprotQ9UGB7GeneID55586;Concentration1.2mg/mlFormulationRabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Host Species	Rabbit
Applications IHC  Species Reactivity Hu  Specificity The antibody detects endogenous levels of total MIOX protein.  Immunogen Description Full length fusion protein of human MIOX  Target Name MIOX  Other Names ALDRL6  Accession No. Swiss-Prot#: Q9UGB7Gene ID: 55586  Uniprot Q9UGB7  GeneID 55586;  Concentration 1.2mg/ml  Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Clonality	Polyclonal
Species Reactivity  The antibody detects endogenous levels of total MIOX protein.  Immunogen Description  Full length fusion protein of human MIOX  Target Name  MIOX  Other Names  ALDRL6  Accession No.  Swiss-Prot#: Q9UGB7Gene ID: 55586  Uniprot  QeneID  55586;  Concentration  1.2mg/ml  Formulation  Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Purification	Antigen affinity purification.
Specificity The antibody detects endogenous levels of total MIOX protein.  Immunogen Description Full length fusion protein of human MIOX  Target Name MIOX  Other Names ALDRL6  Accession No. Swiss-Prot#: Q9UGB7Gene ID: 55586  Uniprot Q9UGB7  GeneID 55586;  Concentration 1.2mg/ml  Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Applications	IHC
Immunogen DescriptionFull length fusion protein of human MIOXTarget NameMIOXOther NamesALDRL6Accession No.Swiss-Prot#: Q9UGB7Gene ID: 55586UniprotQ9UGB7GeneID55586;Concentration1.2mg/mlFormulationRabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Species Reactivity	Hu
Target Name MIOX Other Names ALDRL6 Accession No. Swiss-Prot#: Q9UGB7Gene ID: 55586 Uniprot Q9UGB7 GeneID 55586; Concentration 1.2mg/ml Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Specificity	The antibody detects endogenous levels of total MIOX protein.
Other Names ALDRL6 Accession No. Swiss-Prot#: Q9UGB7Gene ID: 55586 Uniprot Q9UGB7 GeneID 55586; Concentration 1.2mg/ml Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Immunogen Description	Full length fusion protein of human MIOX
Accession No. Swiss-Prot#: Q9UGB7Gene ID: 55586 Uniprot Q9UGB7 GeneID 55586; Concentration 1.2mg/ml Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Target Name	MIOX
UniprotQ9UGB7GeneID55586;Concentration1.2mg/mlFormulationRabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Other Names	ALDRL6
GeneID 55586; Concentration 1.2mg/ml Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Accession No.	Swiss-Prot#: Q9UGB7Gene ID: 55586
Concentration 1.2mg/ml  Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	Uniprot	Q9UGB7
Formulation Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.	GeneID	55586;
	Concentration	1.2mg/ml
Storage Storage Storage	Formulation	Rabbit IgG in pH7.4 PBS, 0.05% NaN3, 40% Glycerol.
Otorage Otore at -20 O	Storage	Store at -20°C


## **Application Details**

Immunohistochemistry: 1:20-1:100

## Images



Immunohistochemical analysis of paraffin-embedded Human brain tissue using #43378 at dilution 1/25.



Immunohistochemical analysis of paraffin-embedded Human thyroid cancer tissue using #43378 at dilution 1/25.

## Background

Myo-inositol oxygenase (MIOX), also known as ALDRL6, is a renal-specific member of the Aldo-keto reductase family. It catalyzes the first committed step in the Myo-inositol metabolism pathway and is widely distributed in mammalian tissues. Human Myo-inositol oxygenase shares 91% and 96% sequence homology with mouse and pig Myo-inositol oxygenase homologs, respectively. Myo-inositol oxygenase is responsible for the oxidative cleavage of Myo-inositol (MI) and its epimer D-chiro inositol (DCI) to D-glucuronate. The dioxygen-dependent cleavage of the C1-C6 bond in Myo-inositol is accomplished through the utilization of the Fe(II)/Fe(III) binuclear iron center of MIOX. Myo-inositol oxygenase has also been implicated in complications of diabetes, including diabetic nephropathy.

Note: This product is for in vitro research use only