

Phospho-QIK/QSK (Thr182/Thr175/Thr221) conjugated Antibody

Catalog No: #C12530

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Package Size: #C12530-AF350 100ul #C12530-AF405 100ul #C12530-AF488 100ul

#C12530-AF555 100ul #C12530-AF594 100ul #C12530-AF647 100ul

#C12530-AF680 100ul #C12530-AF750 100ul #C12530-Biotin 100ul

Description

Product Name	Phospho-QIK/QSK (Thr182/Thr175/Thr221) conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms Rt
Specificity	Phospho-QIK/QSK (Thr182/Thr175/Thr221) conjugated Antibody detects endogenous levels of QIK/QSK only when phosphorylated at Thr175/163
Immunogen Description	A synthesized peptide derived from human QIK/QSK (Thr182/Thr175/Thr221)
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	Phospho-QIK/QSK (Thr182/Thr175/Thr221) conjugated Antibody
Accession No.	Swiss-Prot#:P57059/Q9H0K1/Q9Y2K2NCBI Gene ID:102724428/23235/23387NCBI mRNA#:NCBI Protein#:
Uniprot	P57059
GeneID	102724428;150094;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	140
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.

Note: This product is for in vitro research use only