

SHC1 (Phospho-Tyr349+Tyr350) Conjugated Antibody

Catalog No: #C12698

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Package Size: #C12698-AF350 100ul #C12698-AF405 100ul #C12698-AF488 100ul

#C12698-AF555 100ul #C12698-AF594 100ul #C12698-AF647 100ul

#C12698-AF680 100ul #C12698-AF750 100ul #C12698-Biotin 100ul

Description

Product Name	SHC1 (Phospho-Tyr349+Tyr350) Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms Rt
Specificity	SHC1 (Phospho-Tyr349+Tyr350) Antibody detects endogenous levels of SHC1 only when phosphorylated at Tyr349+Tyr350
Immunogen Description	A synthesized peptide derived from human SHC1 (Phospho-Tyr349+Tyr350)
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	SHC1, p46 shc, p52 shc, SH2 domain protein C1, p66, SHCA, SHC, SHC-transforming protein 1, SHC-transforming protein 3, SHC-transforming protein A
Accession No.	Swiss-Prot#:P29353NCBI Gene ID:6464NCBI mRNA#:NCBI Protein#:
Uniprot	P29353
GeneID	6464;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	70
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.

Note: This product is for in vitro research use only