

## PDHA1/2 (Phospho-Ser293/291) Conjugated Antibody

Catalog No: #C12774



Package Size: #C12774-AF350 100ul #C12774-AF405 100ul #C12774-AF488 100ul  
 #C12774-AF555 100ul #C12774-AF594 100ul #C12774-AF647 100ul  
 #C12774-AF680 100ul #C12774-AF750 100ul #C12774-Biotin 100ul

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)  
 Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)

## Description

Product Name	PDHA1/2 (Phospho-Ser293/291) Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms Rt
Specificity	PDHA1/2 (Phospho-Ser293/291) Antibody detects endogenous levels of PDHA1/2 only when phosphorylated at Ser293/291
Immunogen Description	A synthesized peptide derived from human PDHA1/2 (Phospho-Ser293/291)
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	PDHA1, PDHCE1A, PDHA, PHE1A, PDHE1-A type I
Accession No.	Swiss-Prot#:P08559/P29803NCBI Gene ID:5160/5161NCBI mRNA#:NCBI Protein#:
Uniprot	P08559
GeneID	5160;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	43
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

## Application Details

## Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250  
 AF405 conjugated: most applications: 1: 50 - 1: 250  
 AF488 conjugated: most applications: 1: 50 - 1: 250  
 AF555 conjugated: most applications: 1: 50 - 1: 250  
 AF594 conjugated: most applications: 1: 50 - 1: 250  
 AF647 conjugated: most applications: 1: 50 - 1: 250  
 AF680 conjugated: most applications: 1: 50 - 1: 250  
 AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

---

## Product Description

---

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.

---

Note: This product is for in vitro research use only