

I κ B- ϵ (Phospho-Ser22) Conjugated Antibody

Catalog No: #C11213



Package Size: #C11213-AF350 100ul #C11213-AF405 100ul #C11213-AF488 100ul
 #C11213-AF555 100ul #C11213-AF594 100ul #C11213-AF647 100ul
 #C11213-AF680 100ul #C11213-AF750 100ul #C11213-Biotin 100ul

Orders: order@signalwayantibody.com
 Support: tech@signalwayantibody.com

Description

Product Name	I κ B- ϵ (Phospho-Ser22) Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms
Specificity	The antibody detects endogenous level of I κ B- ϵ only when phosphorylated at serine 22.
Immunogen Description	Peptide sequence around phosphorylation site of serine 22 (I-E-S(p)-L-R) derived from Mouse I κ B- ϵ .
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	I-kappa-B-epsilon;IKBE;IkappaBepsilon;NF-kappa-BIE;NF-kappaB inhibitor epsilon
Accession No.	Swiss-Prot#:O54910NCBI Gene ID:18037NCBI mRNA#:NM_004556.2 NCBI Protein#:NP_004547.2
Uniprot	O54910
GeneID	18037;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	40
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.

Background

Inhibits NF-kappa-B by complexing with and trapping it in the cytoplasm. Inhibits DNA-binding of NF-kappa-B p50-p65 and p50-c-Rel complexes.

Note: This product is for in vitro research use only