# p70 S6 Kinase (Phospho-Thr421) Conjugated Antibody

Signalway Antibody

Catalog No: #C11254

Package Size: #C11254-AF350 100ul #C11254-AF405 100ul #C11254-AF488 100ul

#C11254-AF555 100ul #C11254-AF594 100ul #C11254-AF647 100ul

#C11254-AF680 100ul #C11254-AF750 100ul #C11254-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

### Description

200011711011	
Product Name	p70 S6 Kinase (Phospho-Thr421) Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms Rt
Specificity	The antibody detects endogenous level of p70 S6 Kinase only when phosphorylated at threonine 421.
Immunogen Description	Peptide sequence around phosphorylation site of threonine 421 (P-R-T(p)-P-V) derived from Human p70 S6
	Kinase.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	KS6B1;P70-S6K;RPS6KB1;S6K
Accession No.	Swiss-Prot#:P23443NCBI Gene ID:6198NCBI mRNA#:NM_003161.2NCBI Protein#:NP_003152.1
Uniprot	P23443
GeneID	6198;
Excitation Emission	AF350: 346nm/442nm
	AF405: 401nm/421nm
	AF488: 493nm/519nm
	AF555: 555nm/565nm
	AF594: 591nm/614nm
	AF647: 651nm/667nm
	AF680: 679nm/702nm
	AF750: 749nm/775nm
Calculated MW	70 85
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

#### **Application Details**

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

#### **Product Description**

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy using non-phosphopeptide.

## Background

Phosphorylates specifically ribosomal protein S6 in response to insulin or several classes of mitogens. Promotes protein synthesis by phosphorylating PDCD4 at 'Ser-67' and targeting it for degradation.

Note: This product is for in vitro research use only