

α -catenin (Phospho-Ser641) Conjugated Antibody

Catalog No: #C11330



Package Size: #C11330-AF350 100ul #C11330-AF405 100ul #C11330-AF488 100ul
 #C11330-AF555 100ul #C11330-AF594 100ul #C11330-AF647 100ul
 #C11330-AF680 100ul #C11330-AF750 100ul #C11330-Biotin 100ul

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Description

Product Name	α -catenin (Phospho-Ser641) Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms
Specificity	The antibody detects endogenous level of α -catenin only when phosphorylated at serine 641.
Immunogen Description	Peptide sequence around phosphorylation site of serine 641 (D-D-S(p)-D-F) derived from Human α -catenin.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	Cadherin-associated protein ;Alpha E-catenin; NY-REN-13 antigen
Accession No.	Swiss-Prot#:P35221 NCBI Gene ID:1495 NCBI mRNA#:NM_001903.2 NCBI Protein#:NP_001894.2
Uniprot	P35221
GeneID	1495;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	100
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
 AF405 conjugated: most applications: 1: 50 - 1: 250
 AF488 conjugated: most applications: 1: 50 - 1: 250
 AF555 conjugated: most applications: 1: 50 - 1: 250
 AF594 conjugated: most applications: 1: 50 - 1: 250
 AF647 conjugated: most applications: 1: 50 - 1: 250
 AF680 conjugated: most applications: 1: 50 - 1: 250
 AF750 conjugated: most applications: 1: 50 - 1: 250

Product Description

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.

Background

Associates with the cytoplasmic domain of a variety of cadherins. The association of catenins to cadherins produces a complex which is linked to the actin filament network, and which seems to be of primary importance for cadherins cell-adhesion properties. May play a crucial role in cell differentiation.

Note: This product is for in vitro research use only