

Neuro D (Phospho-Ser274) Conjugated Antibody

Catalog No: #C11809



Package Size: #C11809-AF350 100ul #C11809-AF405 100ul #C11809-AF488 100ul
 #C11809-AF555 100ul #C11809-AF594 100ul #C11809-AF647 100ul
 #C11809-AF680 100ul #C11809-AF750 100ul #C11809-Biotin 100ul

Orders: order@signalwayantibody.com
 Support: tech@signalwayantibody.com

Description

Product Name	Neuro D (Phospho-Ser274) Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms Rt
Specificity	The antibody detects endogenous levels of Neuro D only when phosphorylated at serine 274.
Immunogen Description	Peptide sequence around phosphorylation site of Serine 274(P-L-S(p)-P-P) derived from Human Neuro D.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	NDF1;NEUROD;NeuroD1;beta2
Accession No.	Swiss-Prot#:Q13562NCBI Gene ID:4760NCBI mRNA#:NM_002500.4. NCBI Protein#:NP_002491.2.
Uniprot	Q13562
GeneID	4760;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	36
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatography using non-phosphopeptide.

Background

NeuroD Acts as a differentiation factor during neurogenesis. Transcriptional activator. Binds to the insulin gene E-box.

Note: This product is for in vitro research use only