CSFR (Phospho-Tyr699) Conjugated Antibody

Catalog No: #C12134

SAB Signalway Antibody

Package Size: #C12134-AF350 100ul #C12134-AF405 100ul #C12134-AF488 100ul

#C12134-AF555 100ul #C12134-AF594 100ul #C12134-AF647 100ul

#C12134-AF680 100ul #C12134-AF750 100ul #C12134-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

| Product Name | CSFR (Phospho-Tyr699) Conjugated Antibody |
|-----------------------|---|
| Host Species | Rabbit |
| Clonality | Polyclonal |
| Species Reactivity | Hu |
| Specificity | The antibody detects endogenous levels of CSF1R only when phosphorylated at tyrosine 699. |
| Immunogen Description | Peptide sequence around phosphorylation site of tyrosine 699 (V-D-Y(p)-K-N) derived from Human CSF1R. |
| Conjugates | Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750 |
| Other Names | C-FMS; CD115; CD115 antigen; colony stimulating factor 1 receptor; CSF-1-R; CSF1R; CSFR; FIM2; FMS; |
| | FMS proto-oncogene; macrophage colony stimulating factor I receptor; Macrophage colony-stimulating factor |
| | 1 receptor; McDonough feline sarcoma viral (v-fms |
| Accession No. | Swiss-Prot#:P07333NCBI Gene ID:1436 |
| Uniprot | P07333 |
| GeneID | 1436; |
| Excitation Emission | AF350: 346nm/442nm |
| | AF405: 401nm/421nm |
| | AF488: 493nm/519nm |
| | AF555: 555nm/565nm |
| | AF594: 591nm/614nm |
| | AF647: 651nm/667nm |
| | AF680: 679nm/702nm |
| | AF750: 749nm/775nm |
| Calculated MW | 160 |
| Formulation | 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide |
| Storage | Store at 4°C in dark for 6 months |

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho specific antibodies were removed by chromatogramphy using non-phosphopeptide.

Background

Tyrosine-protein kinase that acts as cell-surface receptor for CSF1 and IL34 and plays an essential role in the regulation of survival, proliferation and differentiation of hematopoietic precursor cells, especially mononuclear phagocytes, such as macrophages and monocytes. Promotes the release of proinflammatory chemokines in response to IL34 and CSF1, and thereby plays an important role in innate immunity and in inflammatory processes. Plays an important role in the regulation of osteoclast proliferation and differentiation, the regulation of bone resorption, and is required for normal bone and tooth development. Required for normal male and female fertility, and for normal development of milk ducts and acinar structures in the mammary gland during pregnancy.

Note: This product is for in vitro research use only