p70 S6 Kinase (Phospho-Ser 411) Conjugated Antibody

Catalog No: #C13329

Package Size: #C13329-AF350 100ul #C13329-AF405 100ul #C13329-AF488 100ul

#C13329-AF555 100ul #C13329-AF594 100ul #C13329-AF647 100ul

#C13329-AF680 100ul #C13329-AF750 100ul #C13329-Biotin 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

Product Name	p70 S6 Kinase (Phospho-Ser 411) Conjugated Antibody
Host Species	Mouse
Clonality	Monoclonal
Species Reactivity	Hu
Immunogen Description	Amino acids 1-201 of RBP of human origin
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	Cellular retinol-binding protein antibody Cellular retinol-binding protein I antibody CRBP antibody CRBP-I
	antibody CRBP1 antibody CRBP2 antibody RBP1 antibody RBP2 antibody RBP4 antibody RBPC antibody
	RET1_HUMAN antibody Retinol binding protein 1 antibody Retinol binding protein 1 cellular antibody Retinol
	binding protein 2 cellular antibody Retinol binding protein 4 plasma antibody Retinol-binding protein 1 antibody
Accession No.	Swiss-Prot#:P02753
Uniprot	P02753
GeneID	5950;
Excitation Emission	AF350: 346nm/442nm
	AF405: 401nm/421nm
	AF488: 493nm/519nm
	AF555: 555nm/565nm
	AF594: 591nm/614nm
	AF647: 651nm/667nm
	AF680: 679nm/702nm
	AF750: 749nm/775nm
Calculated MW	25
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250
AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Backgroun<u>d</u>

Retinol (Vitamin A) is transported in the blood bound to its carrier protein, retinol-binding protein (RBP), also designated plasma retinol-binding protein (PRBP) or RBP4. A member of the lipocalin family, RBP conveys retinol from stores in the liver to peripheral tissues. In plasma, RBP binds transthyretin (TTR, formerly called prealbumin) to prevent glomerular filtration of low molecular weight RBP in the kidneys. The stability of this complex holds diagnostic importance because the molar ratio of RBP:TTR provides an indirect way to indicate marginal vitamin A deficiency. Vitamin A deficiency blocks the secretion of RBP resulting in defective delivery and supply to epidermal cells. Originally identified solely as a transporter protein, recent studies correlating increased levels of RBP expression in adipose tissue with insulin resistance have generated research into the possible roles the protein may play in the pathogenesis of type 2 diabetes and obesity.

Note: This product is for in vitro research use only