## SHP2(Phospho-Y542) Conjugated Antibody

Catalog No: #C13393

SAB Signalway Antibody

Package Size: #C13393-AF350 100ul #C13393-AF405 100ul #C13393-AF488 100ul

#C13393-AF555 100ul #C13393-AF594 100ul #C13393-AF647 100ul

#C13393-AF680 100ul #C13393-AF750 100ul #C13393-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Product Name          | SHP2(Phospho-Y542) Conjugated Antibody  |
|-----------------------|---|
| Host Species          | Rabbit  |
| Clonality             | Monoclonal  |
| Species Reactivity    | Hu  |
| Immunogen Description | recombinant protein   |
| Conjugates            | Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750  |
| Other Names           | c Raf antibody C-raf antibody C-Raf proto-oncogene, serine/threonine kinase antibody CMD1NN antibody Cra  |
|                       | 1 transforming gene antibody cRaf antibody Craf1 transforming gene antibody EC 2.7.11.1 antibody kinase   |
|                       | Raf1 antibody Murine sarcoma 3611 oncogene 1 antibody NS5 antibody Oncogene MIL antibody Oncogene         |
|                       | RAF1 antibody OTTHUMP00000160218 antibody OTTHUMP00000207813 antibody OTTHUMP0000020938                   |
|                       | antibody Protein kinase raf 1 antibody Proto-oncogene c-RAF antibody Raf 1 antibody Raf 1 proto oncogene  |
|                       | serine/threonine kinase antibody RAF antibody Raf proto oncogene serine/threonine protein kinase antibody |
|                       | RAF proto-oncogene serine/threonine-protein kinase antibody RAF-1 antibody RAF1 antibody RAF1_HUMAN       |
|                       | antibody Similar to murine leukemia viral (V-raf-1) oncogene homolog 1 antibody TRANSFORMING              |
|                       | REPLICATION-DEFECTIVE MURINE RETROVIRUS 3611-MSV antibody v raf 1 murine leukemia viral                   |
|                       | oncogene homolog 1 antibody v-raf murine sarcoma viral oncogene homolog 1 antibody v-raf-1 murine         |
|                       | leukemia viral oncogene-like protein 1 antibody vraf1 murine leukemia viral oncogene homolog 1 antibody   |
| Accession No.         | Swiss-Prot#:P04049  |
| Uniprot               | P04049  |
| GeneID                | 5894;   |
| Excitation Emission   | AF350: 346nm/442nm  |
|                       | AF405: 401nm/421nm  |
|                       | AF488: 493nm/519nm  |
|                       | AF555: 555nm/565nm  |
|                       | AF594: 591nm/614nm  |
|                       | AF647: 651nm/667nm  |
|                       | AF680: 679nm/702nm  |
|                       | AF750: 749nm/775nm  |
| Calculated MW         | 73  |
| F                     | 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide               |
| Formulation           | 0.0 Mil Godiam i hospitate, 0.23M Naoi, pri 7.0, 3mg/m Bovine Geram Albamin, 0.02 / Godiam Azide          |

## Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250
AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Background

Several serine/threonine protein kinases have been implicated as intermediates in signal transduction pathways. These include ERK/MAP kinases, ribosomal S6 kinase (Rsk)and Raf-1. Raf-1 is a cytoplasmic protein with intrinsic serine/threonine activity. It is broadly expressed in nearly all cell lines tested to date and is the cellular homolog of v-Raf, the product of the transforming gene of the 3611 strain of murine sarcoma virus. The unregulated kinase activity of the v-Raf protein has been associated with transformation and mitogenesis while the activity of Raf-1 is normally suppressed by a regulatory N-terminal domain. Raf-1 is activated in response to activation of a variety of tyrosine kinase receptors as well as in response to pp60v-Src expression. There is accumulating evidence that Ras p21 may play a role in activation of Raf-1 and may play the role of the messenger from membrane tyrosine kinases to Raf-1.

Note: This product is for in vitro research use only