

PKD/PKC μ (Ab-738) Conjugated Antibody

Catalog No: #C21126



Package Size: #C21126-AF350 100ul #C21126-AF405 100ul #C21126-AF488 100ul
 #C21126-AF555 100ul #C21126-AF594 100ul #C21126-AF647 100ul
 #C21126-AF680 100ul #C21126-AF750 100ul #C21126-Biotin 100ul

Orders: order@signalwayantibody.com
 Support: tech@signalwayantibody.com

Description

Product Name	PKD/PKC μ (Ab-738) Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms Rt
Specificity	The antibody detects endogenous level of total PKD/PKC μ protein.
Immunogen Description	Peptide sequence around aa. 736~740 (E-K-S-F-R) derived from Human PKD/PKC μ .
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	nPKC-D1;Protein kinase D ;Protein kinase C mu type;nPKC-mu
Accession No.	Swiss-Prot#:Q15139NCBI Gene ID:5587NCBI mRNA#:NM_002742.2 NCBI Protein#:NP_002733.2
Uniprot	Q15139
GeneID	5587;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	115
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
 AF405 conjugated: most applications: 1: 50 - 1: 250
 AF488 conjugated: most applications: 1: 50 - 1: 250
 AF555 conjugated: most applications: 1: 50 - 1: 250
 AF594 conjugated: most applications: 1: 50 - 1: 250
 AF647 conjugated: most applications: 1: 50 - 1: 250
 AF680 conjugated: most applications: 1: 50 - 1: 250
 AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were purified by affinity-chromatography using epitope-specific peptide.

Background

Converts transient diacylglycerol. (DAG) signals into prolonged physiological effects, downstream of PKC. Involved in resistance to oxidative stress through activation of NF-kappa-B.

Note: This product is for in vitro research use only