## PON2 Conjugated Antibody

Catalog No: #C32364



 Package Size:
 #C32364-AF350 100ul
 #C32364-AF405 100ul
 #C32364-AF488 100ul

 #C32364-AF555 100ul
 #C32364-AF594 100ul
 #C32364-AF647 100ul

 #C32364-AF680 100ul
 #C32364-AF750 100ul
 #C32364-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

Product Name	PON2 Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms Rt
Specificity	The antibody detects endogenous level of total PON2 protein.
Immunogen Description	Recombinant protein of human PON2.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Accession No.	Swiss-Prot#:Q15165NCBI Gene ID:5445
Uniprot	Q15165
GeneID	5445;
Excitation Emission	AF350: 346nm/442nm
	AF405: 401nm/421nm
	AF488: 493nm/519nm
	AF555: 555nm/565nm
	AF594: 591nm/614nm
	AF647: 651nm/667nm
	AF680: 679nm/702nm
	AF750: 749nm/775nm
Calculated MW	39
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

## **Application Details**

Suggested Dilution:	
AF350 conjugated: most applications: 1: 50 - 1: 250	
AF405 conjugated: most applications: 1: 50 - 1: 250	
AF488 conjugated: most applications: 1: 50 - 1: 250	
AF555 conjugated: most applications: 1: 50 - 1: 250	
AF594 conjugated: most applications: 1: 50 - 1: 250	
AF647 conjugated: most applications: 1: 50 - 1: 250	
AF680 conjugated: most applications: 1: 50 - 1: 250	
AF750 conjugated: most applications: 1: 50 - 1: 250	
Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000	

Antibodies were purified by affinity purification using immunogen.

## Background

This gene encodes a member of the paraoxonase gene family, which includes three known members located adjacent to each other on the long arm of chromosome 7. The encoded protein is ubiquitously expressed in human tissues, membrane-bound, and may act as a cellular antioxidant, protecting cells from oxidative stress. Hydrolytic activity against acylhomoserine lactones, important bacterial quorum-sensing mediators, suggests the encoded protein may also play a role in defense responses to pathogenic bacteria. Mutations in this gene may be associated with vascular disease and a number of quantitative phenotypes related to diabetes. Alternatively spliced transcript variants encoding different isoforms have been described.

Note: This product is for in vitro research use only