## PRDX2 Conjugated Antibody

Catalog No: #C32497

SAB Signalway Antibody

Support: tech@signalwayantibody.com

Package Size: #C32497-AF350 100ul #C32497-AF405 100ul #C32497-AF488 100ul Orders: order@signalwayantibody.com

#C32497-AF555 100ul #C32497-AF594 100ul #C32497-AF647 100ul

#C32497-AF680 100ul #C32497-AF750 100ul #C32497-Biotin 100ul

_			
	escri		 $\mathbf{r}$
$\boldsymbol{-}$	COOL	194	

2 coonpact		
Product Name	PRDX2 Conjugated Antibody	
Host Species	Rabbit	
Clonality	Polyclonal	
Species Reactivity	Hu Ms Rt	
Specificity	The antibody detects endogenous level of total PRDX2 protein.	
Immunogen Description	Recombinant protein of human PRDX2.	
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750	
Other Names	MGC4104;NKEFB;PRP;PRX2;PRXII	
Accession No.	Swiss-Prot#:P32119NCBI Gene ID:7001	
Uniprot	P32119	
GeneID	7001;	
Excitation Emission	AF350: 346nm/442nm	
	AF405: 401nm/421nm	
	AF488: 493nm/519nm	
	AF555: 555nm/565nm	
	AF594: 591nm/614nm	
	AF647: 651nm/667nm	
	AF680: 679nm/702nm	
	AF750: 749nm/775nm	
Calculated MW	22	
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide	
Storage	Store at 4°C in dark for 6 months	

## **Application Details**

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250
AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Product Description

Antibodies were purified by affinity purification using immunogen.

## Background

This gene encodes a member of the peroxiredoxin family of antioxidant enzymes, which reduce hydrogen peroxide and alkyl hydroperoxides. The encoded protein may play an antioxidant protective role in cells, and may contribute to the antiviral activity of CD8(+) T-cells. This protein may have a proliferative effect and play a role in cancer development or progression. The crystal structure of this protein has been resolved to 2.7 angstroms. Transcript variants encoding distinct isoforms have been identified for this gene.

Note: This product is for in vitro research use only