

Synuclein  $\gamma$  Conjugated Antibody

Catalog No: #C33493



Package Size: #C33493-AF350 100ul #C33493-AF405 100ul #C33493-AF488 100ul  
 #C33493-AF555 100ul #C33493-AF594 100ul #C33493-AF647 100ul  
 #C33493-AF680 100ul #C33493-AF750 100ul #C33493-Biotin 100ul

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)  
 Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)

## Description

Product Name	Synuclein $\gamma$ Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu
Specificity	The antibody detects endogenous levels of total synuclein $\gamma$ protein.
Immunogen Description	Synthesized peptide derived from human synuclein $\gamma$ .
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	BCSG1;PERSYN;BREAST CANCER-SPECIFIC GENE 1
Accession No.	Swiss-Prot#:O76070NCBI Gene ID:6623
Uniprot	O76070
GeneID	6623;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	20
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

## Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Product Description

---

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

## Background

---

Plays a role in neurofilament network integrity. May be involved in modulating axonal architecture during development and in the adult. In vitro, increases the susceptibility of neurofilament-H to calcium-dependent proteases By similarity. May also function in modulating the keratin network in skin. Activates the MAPK and Elk-1 signal transduction pathway By similarity.

---

Note: This product is for in vitro research use only