

CSPG5 Conjugated Antibody

Catalog No: #C34587



Package Size: #C34587-AF350 100ul #C34587-AF405 100ul #C34587-AF488 100ul
 #C34587-AF555 100ul #C34587-AF594 100ul #C34587-AF647 100ul
 #C34587-AF680 100ul #C34587-AF750 100ul #C34587-Biotin 100ul

Orders: order@signalwayantibody.com
 Support: tech@signalwayantibody.com

Description

Product Name	CSPG5 Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu
Specificity	The antibody detects endogenous levels of total CSPG5 protein.
Immunogen Description	Synthesized peptide derived from internal of human CSPG5.
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	Chondroitin sulfate proteoglycan 5;Neuroglycan C;Acidic leucine-rich EGF-like domain-containing brain protein
Accession No.	Swiss-Prot#:O95196NCBI Gene ID:10675
Uniprot	O95196
GeneID	10675;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	60
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Product Description

The antibody was affinity-purified from rabbit antiserum by affinity-chromatography using epitope-specific immunogen.

Background

May function as a growth and differentiation factor involved in neuritogenesis. May induce ERBB3 activation.

Note: This product is for in vitro research use only