TNN Conjugated Antibody

Catalog No: #C37267

SAB Signalway Antibody

Package Size: #C37267-AF350 100ul #C37267-AF405 100ul #C37267-AF488 100ul

#C37267-AF555 100ul #C37267-AF594 100ul #C37267-AF647 100ul

#C37267-AF680 100ul #C37267-AF750 100ul #C37267-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

Product Name	TNN Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu Ms
Specificity	The antibody detects endogenous levels of total TNN protein.
Immunogen Description	Synthetic peptide corresponding to a region derived from internal residues of human tenascin N
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	TN-W
Accession No.	Swiss-Prot#:Q9UQP3NCBI Gene ID:63923NCBI Protein#:NP_005900
Uniprot	Q9UQP3
GeneID	63923;
Excitation Emission	AF350: 346nm/442nm
	AF405: 401nm/421nm
	AF488: 493nm/519nm
	AF555: 555nm/565nm
	AF594: 591nm/614nm
	AF647: 651nm/667nm
	AF680: 679nm/702nm
	AF750: 749nm/775nm
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250
AF750 conjugated: most applications: 1: 50 - 1: 250

 $Biotin \ conjugated: working \ with \ enzyme-conjugated \ streptavidin, \ most \ applications: \ 1:50 - 1:1,000$

Background

This protein is involved in neurite outgrowth and cell migration in hippocampal explants. It has three EGF-like domains, one fibrinogen C-terminal domain and nine fibronectin type III domains. Tenascins are extracellular matrix proteins present during the development of organisms as well as in pathological conditions. Tenascin-W, the fourth and last member of the tenascin family remains the least well-characterized one.

Note: This product is for in vitro research use only