

# Guanine nucleotide-binding protein G(o) subunit alpha Polyclonal Conjugated Antibody



Catalog No: #C42186

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)

Package Size: #C42186-AF350 100ul #C42186-AF405 100ul #C42186-AF488 100ul

#C42186-AF555 100ul #C42186-AF594 100ul #C42186-AF647 100ul

#C42186-AF680 100ul #C42186-AF750 100ul #C42186-Biotin 100ul

## Description

Product Name	Guanine nucleotide-binding protein G(o) subunit alpha Polyclonal Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Ms
Specificity	The antibody detects endogenous level of total Guanine nucleotide-binding protein G(o) subunit alpha polyclonal antibody.
Immunogen Description	Recombinant mouse Guanine nucleotide-binding protein G(o) subunit alpha protein
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	Gnao1,Gna0, Gnao
Accession No.	Swiss-Prot#:P18872
Uniprot	P18872
GeneID	14681;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	40
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

## Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

---

## Background

---

Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane signaling systems. Stimulated by RGS14. The G(o) protein function is not clear.

---

Note: This product is for in vitro research use only