

Alpha-1-acid glycoprotein 2 Polyclonal Conjugated Antibody

Catalog No: #C42585

Orders: order@signalwayantibody.comSupport: tech@signalwayantibody.com

Package Size: #C42585-AF350 100ul #C42585-AF405 100ul #C42585-AF488 100ul

#C42585-AF555 100ul #C42585-AF594 100ul #C42585-AF647 100ul

#C42585-AF680 100ul #C42585-AF750 100ul #C42585-Biotin 100ul

Description

Product Name	Alpha-1-acid glycoprotein 2 Polyclonal Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Species Reactivity	Hu
Specificity	The antibody detects endogenous level of total Alpha-1-acid glycoprotein 2 polyclonal antibody.
Immunogen Description	Recombinant human Alpha-1-acid glycoprotein 2 protein
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	Orosomuroid-2,ORM2,AGP2
Accession No.	Swiss-Prot#:P19652
Uniprot	P19652
GeneID	5005;
Excitation Emission	AF350: 346nm/442nm AF405: 401nm/421nm AF488: 493nm/519nm AF555: 555nm/565nm AF594: 591nm/614nm AF647: 651nm/667nm AF680: 679nm/702nm AF750: 749nm/775nm
Calculated MW	22
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Background

Functions as transport protein in the blood stream. Binds various hydrophobic ligands in the interior of its beta-barrel domain. Also binds synthetic drugs and influences their distribution and availability. Appears to function in modulating the activity of the immune system during the acute-phase reaction.

Note: This product is for in vitro research use only