

## PCDHGB5 Conjugated Antibody

Catalog No: #C46638



Package Size: #C46638-AF350 100ul #C46638-AF405 100ul #C46638-AF488 100ul  
 #C46638-AF555 100ul #C46638-AF594 100ul #C46638-AF647 100ul  
 #C46638-AF680 100ul #C46638-AF750 100ul #C46638-Biotin 100ul

Orders: [order@signalwayantibody.com](mailto:order@signalwayantibody.com)  
 Support: [tech@signalwayantibody.com](mailto:tech@signalwayantibody.com)

## Description

|                       |  |
|-----------------------|--|
| Product Name          | PCDHGB5 Conjugated Antibody  |
| Host Species          | Rabbit   |
| Clonality             | Polyclonal   |
| Species Reactivity    | Hu   |
| Specificity           | The antibody detects endogenous levels of total PCDHGB5 protein.   |
| Immunogen Description | Synthetic peptide corresponding to internal residues of human PCDHGB5  |
| Conjugates            | Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750   |
| Other Names           | PCDH-GAMMA-B5  |
| Accession No.         | Swiss-Prot#:Q9Y5G0NCBI Gene ID:56101NCBI Protein#:NP_061748  |
| Uniprot               | Q9Y5G0   |
| GeneID                | 56101;   |
| Excitation Emission   | AF350: 346nm/442nm<br>AF405: 401nm/421nm<br>AF488: 493nm/519nm<br>AF555: 555nm/565nm<br>AF594: 591nm/614nm<br>AF647: 651nm/667nm<br>AF680: 679nm/702nm<br>AF750: 749nm/775nm |
| Formulation           | 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide  |
| Storage               | Store at 4°C in dark for 6 months  |

## Application Details

## Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250

AF405 conjugated: most applications: 1: 50 - 1: 250

AF488 conjugated: most applications: 1: 50 - 1: 250

AF555 conjugated: most applications: 1: 50 - 1: 250

AF594 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250

AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Background

---

This gene is a member of the protocadherin gamma gene cluster, one of three related clusters tandemly linked on chromosome five. These gene clusters have an immunoglobulin-like organization, suggesting that a novel mechanism may be involved in their regulation and expression. The gamma gene cluster includes 22 genes divided into 3 subfamilies. Subfamily A contains 12 genes, subfamily B contains 7 genes and 2 pseudogenes, and the more distantly related subfamily C contains 3 genes. The tandem array of 22 large, variable region exons are followed by a constant region, containing 3 exons shared by all genes in the cluster. Each variable region exon encodes the extracellular region, which includes 6 cadherin ectodomains and a transmembrane region. The constant region exons encode the common cytoplasmic region. These neural cadherin-like cell adhesion proteins most likely play a critical role in the establishment and function of specific cell-cell connections in the brain. Alternative splicing has been described for the gamma cluster genes.?

---

Note: This product is for in vitro research use only