## PIM1 Conjugated Antibody

Catalog No: #C48894



 Package Size:
 #C48894-AF350 100ul
 #C48894-AF405 100ul
 #C48894-AF488 100ul

 #C48894-AF555 100ul
 #C48894-AF594 100ul
 #C48894-AF647 100ul

 #C48894-AF680 100ul
 #C48894-AF750 100ul
 #C48894-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

Product Name	PIM1 Conjugated Antibody	
Host Species	Rabbit	
Clonality	Monoclonal	
Species Reactivity	Hu, Ms	
Immunogen Description	recombinant protein	
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750	
Other Names	Oncogene PIM 1 antibody Oncogene PIM1 antibody PIM 1 antibody pim 1 kinase 44 kDa isoform antibody	
	Pim 1 kinase antibody pim 1 oncogene (proviral integration site 1) antibody Pim 1 oncogene antibody PIM	
	antibody PIM1 antibody pim1 kinase 44 kDa isoform antibody PIM1_HUMAN antibody Pim2 antibody PIM3	
	antibody Proto oncogene serine/threonine protein kinase Pim 1 antibody Proto-oncogene	
	serine/threonine-protein kinase Pim-1 antibody Proviral integration site 1 antibody Proviral integration site 2	
	antibody	
Accession No.	Swiss-Prot#:P11309	
Uniprot	P11309	
GeneID	5292;	
Excitation Emission	AF350: 346nm/442nm	
	AF405: 401nm/421nm	
	AF488: 493nm/519nm	
	AF555: 555nm/565nm	
	AF594: 591nm/614nm	
	AF647: 651nm/667nm	
	AF680: 679nm/702nm	
	AF750: 749nm/775nm	
Calculated MW	32 kDa	
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide	
Storage	Store at 4°C in dark for 6 months	

Appl	ication	Details

Suggested Dilution: AF350 conjugated: most applications: 1: 50 - 1: 250 AF405 conjugated: most applications: 1: 50 - 1: 250 AF488 conjugated: most applications: 1: 50 - 1: 250 AF555 conjugated: most applications: 1: 50 - 1: 250

AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250
AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Background

Pim-1 is a serine/threonine kinase that cooperates with c-Myc in lymphoid cell transformation. The expression of pim-1 increases during the progression from early to late G1, remaining high at the G1/S boundary and G2 phases of the cell cycle. Pim-1 is regulated at both the transcriptional and translational level, and it has been shown to be induced by IL-2 stimulation. Pim-1 also plays a role in T cell differentiation, and it has been shown to stimulate c-Myc-mediated apoptosis upstream of caspase-3-like proteases.

Note: This product is for in vitro research use only