Growth Hormone Conjugated Antibody

Catalog No: #C49460

SAB Signalway Antibody

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com

Package Size: #C49460-AF350 100ul #C49460-AF405 100ul #C49460-AF488 100ul

#C49460-AF555 100ul #C49460-AF594 100ul #C49460-AF647 100ul

#C49460-AF680 100ul #C49460-AF750 100ul #C49460-Biotin 100ul

Description

Product Name	Growth Hormone Conjugated Antibody
Host Species	Rabbit
Clonality	Monoclonal
Species Reactivity	Hu
Immunogen Description	recombinant protein
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	gH antibody GH-N antibody GH1 antibody GHB5 antibody GHN antibody Growth hormone 1 antibody Growth
	hormone antibody Growth hormone B5 antibody Growth hormone, normal antibody Growth hormone, pituitary
	antibody HG1 antibody hGH-N antibody IGHD1B antibody Pituitary growth hormone antibody RNGHGP
	antibody SOMA_HUMAN antibody Somatotropin antibody
Accession No.	Swiss-Prot#:P01241
Uniprot	P01241
GeneID	2688;
Excitation Emission	AF350: 346nm/442nm
	AF405: 401nm/421nm
	AF488: 493nm/519nm
	AF555: 555nm/565nm
	AF594: 591nm/614nm
	AF647: 651nm/667nm
	AF680: 679nm/702nm
	AF750: 749nm/775nm
Calculated MW	25 kDa
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

Application Details

Suggested Dilution:

AF350 conjugated: most applications: 1: 50 - 1: 250
AF405 conjugated: most applications: 1: 50 - 1: 250
AF488 conjugated: most applications: 1: 50 - 1: 250
AF555 conjugated: most applications: 1: 50 - 1: 250
AF594 conjugated: most applications: 1: 50 - 1: 250
AF647 conjugated: most applications: 1: 50 - 1: 250
AF680 conjugated: most applications: 1: 50 - 1: 250

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

Background

Pituitary growth hormone (GH), also designated somatotropin, plays a crucial role in stimulating and controlling the growth, metabolism and differentiation of many mammalian cell types by modulating the synthesis of multiple mRNA species. These effects are mediated by the binding of GH to its membrane-bound receptor, GHR, and involve a phosphorylation cascade that results in the modulation of numerous signaling pathways. GH is secreted in a pulsatile pattern which is tightly controlled by the interplay of GH-releasing hormone (GHRH) and somatostatin (SRIF). GHRH and SRIF are the primary hypothalamic factors that determine GH secretion from the somatotroph and regulate GH synthesis and secretory reserve. GH output is also highly sensitive to feedback control by GH itself, as well as by insulin-like growth factor I. GH is synthesized by acidophilic or somatotropic cells of the anterior pituitary gland. Human growth hormone contains 191 amino acid residues with two disulfide bridges.

Note: This product is for in vitro research use only