#### **Product Datasheet**

# Histone H3.1(Phospho-Ser10) Antibody

Catalog No: #11184

Package Size: #11184-1 50ul #11184-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

| Product Name         | Histone H3.1(Phospho-Ser10) Antibody                                                                      |
|----------------------|-----------------------------------------------------------------------------------------------------------|
| Host Species         | Rabbit                                                                                                    |
| Clonality            | Polyclonal                                                                                                |
| Purification         | Antibodies were produced by immunizing rabbits with synthetic phosphopeptide and KLH conjugates.          |
|                      | Antibodies were purified by affinity-chromatography using epitope-specific phosphopeptide. Non-phospho    |
|                      | specific antibodies were removed by chromatogramphy using non-phosphopeptide.                             |
| Applications         | WB IHC IF                                                                                                 |
| Species Reactivity   | Hu Ms Rt                                                                                                  |
| Specificity          | The antibody detects endogenous level of Histone H3.1 onlywhen phosphorylated at serine 10.               |
| mmunogen Type        | Peptide-KLH                                                                                               |
| mmunogen Description | Peptide sequence around phosphorylation site of serine 10 (R-K-S(p)-T-G) derived from Human Histone H3.1. |
| Target Name          | Histone H3.1                                                                                              |
| Modification         | Phospho                                                                                                   |
| Other Names          | H3/b, H3FB                                                                                                |
| Accession No.        | Swiss-Prot: P68431NCBI Protein: NP_003521.2                                                               |
| Uniprot              | P68431                                                                                                    |
| GeneID               | 8350;8351;8352;8353;8354;8355;8356;8357;8358;8968;                                                        |
| SDS-PAGE MW          | 17                                                                                                        |
| Concentration        | 1.0mg/ml                                                                                                  |
| ormulation           | Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%      |
|                      | sodium azide and 50% glycerol.                                                                            |

Store at -20°C for long term preservation (recommended). Store at 4°C for short term use.

### **Application Details**

Predicted MW: 17kd


Western blotting: 1:500~1:1000

Immunohistochemistry: 1:50~1:100


Immunofluorescence: 1:100~1:200

### **Images**


Storage




Immunohistochemical analysis of paraffin-embedded human breast carcinoma tissue using Histone H3.1(Phospho-Ser10) Antibody #11184(left) or the same antibody preincubated with blocking peptide(right).




Western blot analysis of extracts from SK-BR-3 cells, treated with insulin and EGF, and pretreated with U0126 and LY294002 cells using Histone H3.1 (Phospho-Ser10) Antibody #11184.



Immunofluorescence staining of methanol-fixed Hela cells using Histone H3.1 (Phospho-Ser10) Antibody #11184.



Immunofluorescence staining of methanol-fixed Hela cells using Histone H3.1 (Phospho-Ser10) Antibody #11184.



Western blot analysis of extracts of various cell lines, using Histone H3.1(Phospho-Ser10) Antibody #11184

## Background

Core component of nucleosome. Nucleosomes wrap and compact DNA into chromatin, limiting DNA accessibility to the cellular machineries which require DNA as a template. Histones thereby play a central role in transcription regulation, DNA repair, DNA replication and chromosomal stability. DNA accessibility is regulated via a complex set of post-translational modifications of histones, also called histone code, and nucleosome remodeling. Dai J, et al. (2005) Genes Dev 19(4): 472-488.

Yih LH, et al. (2005) Carcinogenesis 26(1): 53-63.

Note: This product is for in vitro research use only