## **INMT** Conjugated Antibody

Catalog No: #C28546

SAB Signalway Antibody

Package Size: #C28546-AF350 100ul #C28546-AF405 100ul #C28546-AF488 100ul

#C28546-AF555 100ul #C28546-AF594 100ul #C28546-AF647 100ul

#C28546-AF680 100ul #C28546-AF750 100ul #C28546-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

| Product Name          | INMT Conjugated Antibody  |  |
|-----------------------|---|--|
| Host Species          | Rabbit  |  |
| Clonality             | Polyclonal  |  |
| Isotype               | IgG   |  |
| Purification          | Affinity purification   |  |
| Applications          | most applications   |  |
| Species Reactivity    | Ms  |  |
| Immunogen Description | Recombinant fusion protein of human INMT (NP_006765.4).                                     |  |
| Conjugates            | Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750                                      |  |
| Other Names           | INMT; TEMT; indolethylamine N-methyltransferase   |  |
| Accession No.         | Swiss-Prot#:O95050NCBI Gene ID:11185  |  |
| Uniprot               | O95050  |  |
| GeneID                | 11185;  |  |
| Excitation Emission   | AF350: 346nm/442nm  |  |
|                       | AF405: 401nm/421nm  |  |
|                       | AF488: 493nm/519nm  |  |
|                       | AF555: 555nm/565nm  |  |
|                       | AF594: 591nm/614nm  |  |
|                       | AF647: 651nm/667nm  |  |
|                       | AF680: 679nm/702nm  |  |
|                       | AF750: 749nm/775nm  |  |
| Calculated MW         | Refer to Figures  |  |
| Formulation           | 0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide |  |
| Storage               | Store at 4°C in dark for 6 months   |  |
|                       |   |  |

## **Application Details**

| Suggested Dilution:                                 |  |
|---|--|
| AF350 conjugated: most applications: 1: 50 - 1: 250 |  |
| AF405 conjugated: most applications: 1: 50 - 1: 250 |  |
| AF488 conjugated: most applications: 1: 50 - 1: 250 |  |
| AF555 conjugated: most applications: 1: 50 - 1: 250 |  |
| AF594 conjugated: most applications: 1: 50 - 1: 250 |  |
| AF647 conjugated: most applications: 1: 50 - 1: 250 |  |
| AF680 conjugated: most applications: 1: 50 - 1: 250 |  |

AF750 conjugated: most applications: 1: 50 - 1: 250

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Background

N-methylation of endogenous and xenobiotic compounds is a major method by which they are degraded. This gene encodes an enzyme that N-methylates indoles such as tryptamine. Alternative splicing results in multiple transcript variants. Read-through transcription also exists between this gene and the downstream FAM188B (family with sequence similarity 188, member B) gene.

Note: This product is for in vitro research use only