## NSL1 Conjugated Antibody

Catalog No: #C30815



 Package Size:
 #C30815-AF350 100ul
 #C30815-AF405 100ul
 #C30815-AF488 100ul

 #C30815-AF555 100ul
 #C30815-AF594 100ul
 #C30815-AF647 100ul

 #C30815-AF680 100ul
 #C30815-AF750 100ul
 #C30815-Biotin 100ul

Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

## Description

Product Name	NSL1 Conjugated Antibody
Host Species	Rabbit
Clonality	Polyclonal
Isotype	IgG
Purification	Affinity purification
Applications	most applications
Species Reactivity	Ни
Immunogen Description	Recombinant fusion protein of human NSL1 (NP_056286.3).
Conjugates	Biotin AF350 AF405 AF488 AF555 AF594 AF647 AF680 AF750
Other Names	NSL1; C1orf48; DC8; MIS14; NSL1, MIS12 kinetochore complex component
Accession No.	Swiss-Prot#:Q96IY1NCBI Gene ID:25936
Uniprot	Q96IY1
GeneID	25936;
Excitation Emission	AF350: 346nm/442nm
	AF405: 401nm/421nm
	AF488: 493nm/519nm
	AF555: 555nm/565nm
	AF594: 591nm/614nm
	AF647: 651nm/667nm
	AF680: 679nm/702nm
	AF750: 749nm/775nm
Calculated MW	Refer to figures
Formulation	0.01M Sodium Phosphate, 0.25M NaCl, pH 7.6, 5mg/ml Bovine Serum Albumin, 0.02% Sodium Azide
Storage	Store at 4°C in dark for 6 months

## **Application Details**

Suggested Dilution:	
AF350 conjugated: most applications: 1: 50 - 1: 250	
AF405 conjugated: most applications: 1: 50 - 1: 250	
AF488 conjugated: most applications: 1: 50 - 1: 250	
AF555 conjugated: most applications: 1: 50 - 1: 250	
AF594 conjugated: most applications: 1: 50 - 1: 250	
AF647 conjugated: most applications: 1: 50 - 1: 250	
AF680 conjugated: most applications: 1: 50 - 1: 250	

Biotin conjugated: working with enzyme-conjugated streptavidin, most applications: 1: 50 - 1: 1,000

## Background

This gene encodes a protein with two coiled-coil domains that localizes to kinetochores, which are chromosome-associated structures that attach to microtubules and mediate chromosome movements during cell division. The encoded protein is part of a conserved protein complex that includes two chromodomain-containing proteins and a component of the outer plate of the kinetochore. This protein complex is proposed to bridge centromeric heterochromatin with the outer kinetochore structure. Multiple transcript variants encoding different isoforms have been found for this gene. There is a pseudogene of the 3' UTR region of this gene on chromosome X.

Note: This product is for in vitro research use only