TP53 (Phospho-Ser215) Antibody

Catalog No: #SAB468P

Package Size: #SAB468P-1 50ul #SAB468P-2 100ul



Orders: order@signalwayantibody.com Support: tech@signalwayantibody.com

Description

Product Name	TP53 (Phospho-Ser215) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were
	purified by affinity-chromatography using epitope-specific peptide.
Applications	Custom antibody
Species Reactivity	Ни
Immunogen Type	Peptide-KLH
Target Name	TP53
Other Names	Antigen NY-CO-13, Phosphoprotein p53, Tumor suppressor p53
Accession No.	uniprot:P04637
Calculated MW	43kDa
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
	sodium azide and 50% glycerol.
Storage	Store at -200 Ω ¹ / ₂ 0 Ω ¹ / ₂ C for long term preservation (recommended). Store at 40 Ω ¹ / ₂ 0 Ω ¹ / ₂ C for short term use.

Application Details

Western blotting: 1:500~1:1000

Background

Acts as a tumor suppressor in many tumor types; induces growth arrest or apoptosis depending on the physiological circumstances and cell type. Involved in cell cycle regulation as a trans-activator that acts to negatively regulate cell division by controlling a set of genes required for this process. One of the activated genes is an inhibitor of cyclin-dependent kinases. Apoptosis induction seems to be mediated either by stimulation of BAX and FAS antigen expression, or by repression of Bcl-2 expression. Its pro-apoptotic activity is activated via its interaction with PPP1R13B/ASPP1 or TP53BP2/ASPP2 (PubMed:12524540). However, this activity is inhibited when the interaction with PPP1R13B/ASPP1 or TP53BP2/ASPP2 (is displaced by PPP1R13L/iASPP (PubMed:12524540). In cooperation with mitochondrial PPIF is involved in activating oxidative stress-induced necrosis; the function is largely independent of transcription.

Note: This product is for in vitro research use only