TERT (Phospho-Tyr405) Antibody

Catalog No: #SAB502P

Signalway

Orders: order@signalwayantibody.com

Support: tech@signalwayantibody.com

Package Size: #SAB502P-1 50ul #SAB502P-2 100ul

Description	
Product Name	TERT (Phospho-Tyr405) Antibody
Host Species	Rabbit
Clonality	Polyclonal
Purification	Antibodies were produced by immunizing rabbits with synthetic peptide and KLH conjugates. Antibodies were
	purified by affinity-chromatography using epitope-specific peptide.
Applications	Custom antibody
Species Reactivity	Hu
Immunogen Type	Peptide-KLH
Target Name	TERT
Other Names	HEST2,Telomerase catalytic subunit,EST2,?TCS1,?TRT
Accession No.	uniprot:O14746
Calculated MW	127kDa
Formulation	Supplied at 1.0mg/mL in phosphate buffered saline (without Mg2+ and Ca2+), pH 7.4, 150mM NaCl, 0.02%
	sodium azide and 50% glycerol.
Storage	Store at -20o $\Omega\frac{1}{2}$ o $\Omega\frac{1}{2}$ C for long term preservation (recommended). Store at 4o $\Omega\frac{1}{2}$ o $\Omega\frac{1}{2}$ C for short term use.

Application Details

Western blotting: 1:500~1:1000

Background

Telomerase is a ribonucleoprotein enzyme essential for the replication of chromosome termini in most eukaryotes. Active in progenitor and cancer cells. Inactive, or very low activity, in normal somatic cells. Catalytic component of the teleromerase holoenzyme complex whose main activity is the elongation of telomeres by acting as a reverse transcriptase that adds simple sequence repeats to chromosome ends by copying a template sequence within the RNA component of the enzyme. Catalyzes the RNA-dependent extension of 3'-chromosomal termini with the 6-nucleotide telomeric repeat unit, 5'-TTAGGG-3'. The catalytic cycle involves primer binding, primer extension and release of product once the template boundary has been reached or nascent product translocation followed by further extension. More active on substrates containing 2 or 3 telomeric repeats. Telomerase activity is regulated by a number of factors including telomerase complex-associated proteins, chaperones and polypeptide modifiers. Modulates Wnt signaling. Plays important roles in aging and antiapoptosis.

Note: This product is for in vitro research use only